Leukemia Research

VOLUME 17 (1993)

Pergamon Press
Oxford . New York . Seoul . Tokyo

Leukemia Research

EDITORS

JOHN BENNETT, Medical Oncology Unit, University of Rochester Medical Center, 601 Elmwood Avenue, Box 704, Rochester, NY 14642, U.S.A.
Tel. 1716 275 4915

TERRY HAMBLIN, Consultant Hematologist, Royal Bournemouth Hospital, Castle Lane East, Bournemouth BH7 7DW, U.K.
Tel. 0202 303626

HONORARY EDITORS

J. BERNARD, Hôpital Saint-Louis, 2 Place du Docteur Fournier, 75475 Paris Cedex 10, France

J. WALDENSTROM, Roskildevagen 11A, 217 24 Malmo, Sweden

DEPUTY EDITORS

G. MUFTI, Department of Haematology, King's College Hospital, Denmark Hill, London, U.K.

A. PORWIT-MACDONALD, Division of Hematology, Karolinska Hospital, 104 01 Stockholm 60, Sweden

EDITORIAL BOARD

F. D. Appelbaum, U.S.A.
M. Boiron, France
B. Clarkson, U.S.A.
L. Degos, France
G. Flandrin, France
E. J. Freireich, U.S.A.
R. P. Gale, U.S.A.
J. Goldman, U.K.
C. Haanen, The Netherlands
A. V. Hoffbrand, U.K.
C. A. Juttner, Australia
S. J. Korsmeyer, U.S.A.
R. A. Kyle, U.S.A.
B. Löwenberg, The Netherlands
L. Luzzatto, U.K.
F. Mandelli, Italy
A. Marmont, Italy
G. Mathe, France
R. P. McCaffrey, U.S.A.
D. McCarthy, Republic of Ireland
H. Mellstedt, Sweden
L. Montaigner, France
D. Onions, U.K.
J. Pedersen-Bjergaard, Denmark
B. A. Peterson, U.S.A.
E. F. Potworowski, Canada
K.-H. Robert, Sweden
T. Ruutu, Finland
F. Schmalzl, Austria
M. Shimoyama, Japan
F. K. Stevenson, U.K.
D. Urbanitz, F.R.G.
J. A. Whittaker, U.K.
P. H. Wiernik, U.S.A.
K. Yamada, Japan

Published Monthly

Copyright © 1993 Pergamon Press Ltd

Publishing, Subscription and Advertising Offices
Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW (Tel (0865) 794141; Telex 83629; Fax (0865) 60285).

Subscription Rates
Annual Institutional Subscription Rates (1994): North, Central and South America U.S.$925, Rest of World £602. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.
Subscription enquiries from customers in North America should be sent to: Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and for the remainder of the world to: *Leukemia Research*, c/o Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K.

Second-class postage paid at RAHWAY, NJ. Postmaster send address corrections to *Leukemia Research*, **Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.**

Microform and Back Issues. Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Pergamon Press offices.

CONTENTS — VOLUME 17

Number 1

Differential effects of bryostatin 1 on human non-Hodgkin's B-lymphoma cell lines — 1 *R. M. Mohammad, A. Al-Katib, G. R. Pettit and L. L. Sensenbrenner*

Isolation and characterisation of a CDw50 negative Jurkat T-cell line variant (PPL.1) — 9 *F. Lozano, L. Places, J. Alberola-Ila, M. Milá, N. Villamor, J. Barceló, V. Fabregat and J. Vives*

Interleukin-2 receptor alpha chain on acute myelocytic leukemia cells is involved in cell-to-cell interactions — 17 *K. Nakase, K. Kita, A. Otsuji, H. Anazawa, S. Shirakawa, K. Nasu, H. Dohy, H. Tsutani and I. Tanaka*

Characterization of K562 cells following introduction of a mutant N-*ras* gene — 23 *J. T. Thorn, A. V. Todd, G. M. Croaker and H. J. Iland*

Over expression of insulin-like growth factor receptor type-I in T-cell lines infected with human T-lymphotropic virus types-I and -II — 31 *R. B. Lal, D. L. Rudolph, T. M. Folks and W. C. Hooper*

Changes of buoyant density during the S-phase of the cell cycle. Direct evidence demonstrated in acute myeloid leukemia by flowcytometry — 37 *S. Daenen, W. Huiges, E. Modderman and M. R. Halie*

Preleukemic proliferative changes in murine bone marrow after single and multiple 7,12-dimethylbenz(a)-anthracene (DMBA)-applications — 43 *H.-P. Peterson, A. Feldges, K.-H. von Wangenheim and L. E. Feinendegen*

Functional interleukin-2 receptor on a Tac negative human leukaemia T-cell line — 51 *U. R. Kees, J. Ford, S. E. Peroni and P. R. Ranford*

Normal hematopoietic reconstitution following ASTA-Z 7557-purged grafts in the absence of *in vitro* CFU-GM colony growth — 61 *A. Nagler, M. Mumcuoglu, E. Naparstek, R. Or, S. Gan and S. Slavin*

Biodistribution and *in vivo* antitumor efficacy of the systemically administered anti-human T-leukemia immunotoxins and potentiation of their efficacy by α-interferon — 69 *S. Yokota, M. Okazaki, M. Yoshida and B. K. Seon*

Role of transforming growth factor-β in chronic lymphocytic leukemia — 81 *L. G. Israels, S. J. Israels, A. Begleiter, L. Verburg, L. Schwartz, M. R. A. Mowat and J. B. Johnston*

Mechanisms of allogeneic stimulation induced tumor necrosis factor-α (TNF-α) production — 89 *M. Lee, M. Hirokawa and A. B. Miura*

Vitamin D_3 binding activity during leukemic cell differentiation — 97 *J. Feldman, M. H. H. Federico, S. Sonohara, M. L. H. Katayama, M. A. A. Koike, R. A. Roela, M. R. P. da Silva and M. M. Brentani*

Number 2

Original Articles

The expression of tissue factor antigen and activity on the surface of leukemic cells — 103 *M. Tanaka and H. Yamanishi*

Effects of carboplatin in combination with other anticancer agents on human leukemia cell lines — 113 *Y. Kano, M. Akutsu, K. Suzuki and M. Yoshida*

The use of an enzyme single fiber reactor in the study of leukemic cell proliferation: *in vitro* experiments and computer simulation — 121 *S. R. Reiken and D. M. Briedis*

Up-regulation of small GTP-binding proteins *smg* P21A and *ras* P21S during TPA-induced differentiation of human leukemia cell lines — 129 *S. Yamashiro, K. Takayama, H. Shiku and K. Furukawa*

Effects of interleukin 2 on myelodysplastic syndromes — 137 *K. Ogata, N. Yokose, T. Ito, E. An, K. Dan and T. Nomura*

Adsorption and uptake of the alkyllysophospholipid ET-18-OCH_3 by HL-60 cells during induction of differentiation by dimethylsulfoxide — 143 *E. C. Heesbeen, L. F. Verdonck, M. Haagmans, H. G. van Heugten, G. E. J. Staal and G. Rijksen*

Expression of P-glycoprotein and anionic glutathione S-transferase genes in non-Hodgkin's lymphoma — 149 *C. Rodriguez, T. Commes, J. Robert and J.-F. Rossi*

Characteristics of chemotherapy-induced clinical remission in long survivors with aggressive adult T-cell leukemia/lymphoma — 157 *K. Tsukasaki, S. Ikeda, K. Murata, T. Maeda, S. Atogami, H. Sohda, S. Momita, T. Jubashi, Y. Yamada, M. Mine, S. Kamihiri and M. Tomonaga*

Deoxyribonucleoside triphosphate pools and thymidine chemosensitization in human T-cell leukemia — 167 *J. D. Cohen, H. I. Robins, T. B. Katz, E. M. Miller, S. R. Kuzminsky and M. J. Javid*

Intervention treatment of established neutropenia with human recombinant granulocyte–macrophage colony-stimulating factor (rhGM-CSF) in patients undergoing cancer chemotherapy — 175 *H. H. Gerhartz, A. C. Stern, B. Wolf-Hornung, M. Kazempour, H. Schmetzer, U. Gugerli, T. C. Jones and W. Wilmanns*

Antigenic regions defined by monoclonal antibodies on tumor-associated antigens of bovine leukemia virus-induced lymphosarcoma cells — 187 *Y. Aida, K. Okada and M. Onuma*

Letter to the Editors

Leukemia in newborn infants with Down syndrome — 195 *A. Zipursky and J. Doyle*

Number 3

Editorial

Leukemia and electromagnetic fields — 197 *P. Reizenstein*

Original Articles

Minimally differentiated acute leukemia — 199 *F. J. Cadwell, C. P. Burns, F. R. Dick, M. P. Jones, K. D. Heckman, G. J. Weiner and J. A. Goeken*

Expression of CD45 isoforms in chronic B-cell leukemias — 209 *H. Zola, N. Siderius, L. Flego, R. Sparrow, M. B. van der Weyden, J. Nimmo, D. N. J. Hart, S. Houghton and A. W. Boyd*

The effects of leukemia inhibitory factor and interleukin 6 on the growth of acute myeloid leukemia cells — 217 *M. Takanashi, T. Motoji, M. Masuda, K. Oshimi and H. Mizoguchi*

2D-gel analysis of proteins in chronic lymphocytic leukemia cells and normal B-lymphocytes — 223 *F. K. Saunders, R. M. Sharrard, D. A. Winfield, J. Lawry, J. R. Goepel, B. W. Hancock and M. H. Goyns*

Altered properties of human T-lymphoblast soluble low K_m 5′-nucleotidase: comparison with B-lymphoblast enzyme — 231 *V. Madrid-Marina, B. Lestan, P. J. Nowak, I. H. Fox and J. Spychala*

Evidence that endogenous generation of leukotrienes does not regulate proliferation of malignant hemopoietic cell lines — 241 *M. Ayyub Khan, J. E. Tateson, A. V. Hoffbrand and R. G. Wickremasinghe*

Sensitivity of committed hematopoietic progenitor cells *in vitro* (BFU-E, CFU-E, CFU-GM) and two human carcinoma cell lines toward rhodamine-123 and phosphonium salt II-41 — 247 *D. W. Sehy, Li-en Shao, D. Rideout and J. Yu*

Adhesive capacity of human long-term bone marrow cultures from normals and patients with acute myeloid leukaemia: the influence of adhesion molecules — 255 *I. A. M. Denkers, T. J. M. de Jong-de Boer, R. H. J. Beelen, G. J. Ossenkoppele, J. J. P.Nauta and M. M. A. C. Langenhuijsen*

Temperature dependence of glucocorticoid binding in sensitive and refractory murine leukemia cells — 263 *J. D. van den Berg, L. A. Smets, M. M. van den Elshout, I. P. J. van Geel and M. Janssen*

Comparison of a bioluminescence assay with differential staining cytotoxicity for cytostatic drug testing *in vitro* in human leukemic cells — 271 *A.-S. Rhedin, U. Tidefelt, K. Jönsson, A. Lundin and C. Paul*

Fatal spleen rupture during induction chemotherapy with rh GM-CSF priming for acute monocytic leukemia. Clinical case report and *in vitro* studies — 277 *B. M. Zimmer, W. E. Berdel, W.-D. Ludwig, M. Notter, B. Reufi and E. Thiel*

Replicative viral DNA in Epstein–Barr virus associated Burkitt's lymphoma biopsies — 285 *M. I. Gutierrez, K. Bhatia and I. Magrath*

Concise Report

Methylation status within exon 3 of the c-*myc* gene as a prognostic marker in myeloma and leukemia — 291 *J. Stephenson, R. Akdag, N. Ozbek and G. J. Mufti*

Number 4

Editorial

Resistance modifying agents are active in some patients with hematological malignancy — 295 *P. Reizenstein*

Original Articles

Comparative analysis of the effects of recombinant cytokines on the growth and differentiation of ML-1, a human myelogenous leukemic cell line — 299 *B. B. Samal, G. W. Stearns, T. C. Boone and T. Arakawa*

Characteristics of the inhibition of human promyelocytic leukaemia HL60 cell growth by S-D-lactoylglutathione *in vitro* — 305 *L. Edwards, J. D. Clelland and P. J. Thornalley*

Antiretroviral immune response and plasma interferon in different phases of chronic granulocytic leukemia — 311 *B. Szabó, F. D. Tóth, J. Kiss, A. Kiss and K. Rák*

Different effects of various hematopoietic growth factors on myelomonocytic cell line (KY-821) and its drug-resistant sublines — 325 *T. Fukuda, T. Kakihara, T. Kamishima, Y. Ohnishi, M. Naito, K. Kishi and A. Shibata*

Effects of dolastatins on human B-lymphocytic leukemia cell lines — 333 *Z.-B. Hu, S. M. Gignac, H. Quentmeier, G. R. Pettit and H. G. Drexler*

Detection of circulating monoclonal lymphocytes in multiple myeloma patients by analysis of gene rearrangements: correlation with progressive disease — 341 *W. U. Knauf, G. Pochanke and A. D. Ho*

Intracellular concentrations of mitoxantrone in leukemic cells *in vitro* vs *in vivo* — 347 *B. Sundman-Engberg, U. Tidefelt, A. Gruber and C. Paul*

Effect of verapamil on daunorubicin accumulation in human leukemic cells with different levels of *MDR1* gene expression — 353 *A. Gruber, B. Briese, I. Areström, S. Vitols, M. Björkholm and C. Peterson*

Delineation of translocation t(15;17) in acute promyelocytic leukemia by chromosomal *in situ* suppression hybridization — 359 *M. R. Speicher, A. Jauch, A. Parr and R. Becher*

Combination of classical and interphase cytogenetics to investigate the biology of myeloid disorders: detection of masked monosomy 7 in AML — 365 *P. Kadam, A. Umerani, A. Srivastava, M. Masterson, B. Lampkin and A. Raza*

Concise Report

Acute myeloblastic leukemia (ANLL-M2) with t(8;21)(q22;q22) variant expressing lymphoid but not myeloid surface antigens with a high number of G-CSF receptors — 375 *H. Tsuchiya, S. S. ElSonbaty, K. Nagano, M. Watanabe, M. Migita, H. Mitsubuchi, Y. Kaneko and I. Matsuda*

Brief Communication

Retrovirus etiology of adult T-cell leukemia — 379 *Y. Hinuma*

Letters to the Editors

The history of HTLV-I — 383 *G. de Thé*

HTLV-I and adult T-cell leukemia — 385 *W. A. Blattner*

Discovery of HTLV-I — 387 *T. Aoki*

Expression of sialyl-Lewis^x on CD10-positive normal bone marrow cells — 389 *K. Muroi, M. Nakamura, T. Suda, Y. Miura and S.-I. Hakamori*

Book Review

Acute Leukemias—Pharmacokinetics and Management of Relapsed and Refractory Disease — 391 *J. Lihemark*

393 Announcements

395 Corrigendum

Number 5

Original Articles

Inhibition of proliferation of human leukaemia 60 cells by methylglyoxal *in vitro* — 397 *F. M. Ayoub, R. E. Allen and P. J. Thornalley*

Induction of the differentiation of HL-60 and WEHI-3B D$^+$ leukemia cells by lithium chloride — 403 *J. A. Sokoloski, J. Li, A. Nigam and A. C. Sartorelli*

Blood responses under chronic low daily dose gamma irradiation: II. Differential preclinical responses of irradiated female dogs in progression to either aplastic anemia or myeloproliferative disease — 411 *T. Seed, B. Carnes, D. Tolle and T. Fritz*

Proposal for a classification of acute myeloid leukaemia based on plastic-embedded bone marrow biopsy sections — 421 *A. Islam*

Stimulation of HTLV-I expression by subtoxic dose of 3-methylcholanthrene — 429 *G. Feldman and M. Aboud*

Exacerbating factors of radiation-induced myeloid leukemogenesis — 437 *K. Yoshida, K. Nemoto, M. Nishimura and M. Seki*

Hypercalcemia associated with all-trans-retinoic acid in the treatment of acute promyelocytic leukemia — 441 *M. Sakakibara, M. Ichikawa, Y. Amano, S. Matsuzawa, K. Agematsu, T. Mori, K. Koike, T. Nakahata and A. Komiyama*

Lineage promiscuity in leukemia studies of T-cell receptor and immunoglobulin genes — 445 *D. Bernard, Y.-J. Bignon, F. Lavenue, J. Pauchard, F. Demeocq, P. Travade, P. Philippe, M. Legros, H. Cure, J. Chassagne, P. Chollet and R. Plagne*

Flow cytometric detection of cytoplasmic antigens in acute leukemias: implications for lineage assignment — 455 *D. Drach, J. Drach, H. Glassl, C. Gattringer and H. Huber*

Lymphoblast colony-culture assay in acute lymphoblastic leukemia: a quantitative approach — 463 *R.-L. Hong, S.-W. Shen, M.-T. Lin, H.-F. Tien, C.-H. Yang and Y.-C. Chen*

471 Announcement

Number 6

Editorials

Welcome to a new editor — 473 *T. Hamblin and P. Reizenstein*

Myelodysplastic syndromes: a forum for debate and discussion — 475 *J. M. Bennett*

Original Articles

B-cell chronic lymphocytic leukaemia populations respond stochastically to combinations of growth signals *in vitro* — 477 *A. P. McManus, Z. R. Desai and T. Lavabre-Bertrand*

Expression of dihydrofolate reductase and multidrug resistance genes in trimetrexate-resistant human leukemia cell lines — 483 *Xiao-Kui Li, H. Kobayashi, J. F. Holland and T. Ohnuma*

Autologous bone marrow transplantation for leukemia: monoclonal antibody-mediated purging of multidrug-resistant leukemia — 491 *R. S. Treichel*

Induction of CD8 antigen and suppressor activity by glucocorticoids in a CEM human leukemic cell clone — 501 *L. Danel-Moore, S. Kawa, G. D. Kalmaz, D. Bessman and E. B. Thompson*

Effects of dipyridamole and R-verapamil on *in vitro* proliferation of blast cells from patients with acute myelogenous leukaemia — 507 *Ø. Bruserud and G. Pawelec*

Pregnancy associated increase in differentiation-stimulating factor (D-factor)/leukemia inhibitory factor (LIF)-binding substance(s) in mouse serum — 515 *Y. Yamaguchi-Yamamoto, M. Tomida and M. Hozumi*

Interaction between tumor necrosis factor-α and HSP 70 in human leukemia cells — 523 *E. Müller, R. Munker, R. Issels and W. Wilmanns*

Complete variable region deletion in a μ heavy chain disease protein (ROUL). Correlation with light chain secretion — 527 *M. Cogné, P. Aucouturier, A. Brizard, B. Dreyfus, F. Duarte and J.-L. Preud'homme*

Analysis of the p53 gene in patients with isochromosome 17q and Ph^1-positive or -negative myeloid leukemia — 533 *J. Schütte, B. Opalka, R. Becher, W. Bardenheuer, S. Szymanski, A. Lux and S. Seeber*

Induction of surface antigen recognized by new monoclonal antibody, YU311, on 1-β-D-arabinofuranosylcytosine-resistant human leukemic cell line — 541 *T. Kakihara, T. Yamada, T. Fukuda, Y. Ohnishi, K. Kishi, M. Uchiyama and A. Shibata*

547 Announcement

Number 7

Original Articles

B-lymphoid/myeloid stem cell origin in Ph-positive acute leukemia with myeloid markers — 549 *K. Akashi, S. Taniguchi, K. Nagafuji, M. Harada, T. Shibuya, S. Hayashi, H. Gondo and Y. Niho*

A new pharmacological activity of dibutyl phthalate (DBP) on selective elimination of tumor cells from bone marrow — 557 *Wu Chu-tse, Pei Xue-tao, Cao Jun-rong and Xue Hui-hua*

Is binding of vitamin D binding protein related to cell differentiation? — 561 *M. Petrini, P. Valentini, A. Allegrini, A. Sabbatini, R. Testi, F. Ambrogi, P. Arnaud and R. M. Galbraith*

Leukemogenesis-associated antigen in HTLV-I-transformed rabbit cells — 567 *A. Seto and K. Kumagai*

SL/Kh strain of mice: a model of spontaneous pre-B-lymphomas — 573 *M. O. Shimada, Y. Yamada, Y. Nakakuki, K. Okamoto, M. Fukumoto, T. Honjo and H. Hiai*

Minimal residual disease *in vitro* of a pre-B-lymphoma — 579 *G. Prindull, Z. Ben-Ishay, M. Bergholz and B. Prindull*

Recombinant GM-CSF modulates the metabolism of cytosine arabinoside in leukemic cells in bone marrow — 585 *M. Tanaka*

Reduction of the leukemogenic potential of malignant murine leukemic cells by *in vivo* treatment with recombinant human granulocyte colony-stimulating factor — 593 *M. Tamura, T. Orita, M. Oh-eda, M. Hasegawa, H. Nomura, T. Maekawa, T. Abe and M. Ono*

Treatment of gamma radiation-induced transplanted leukemia in ICRC mice by liposomally encapsulated 5-fluoro uracil — 601 *S. V. Joshi, S. G. Vaidya, V. R. Nerurkar and C. Soman*

The role of integrins in granulocyte dysfunction in myelodysplastic syndrome — 609 *G. Ricevuti, A. Mazzone, D. Pasotti, G. Fossati, I. Mazzucchelli and A. Notario*

Case Report

Clinical, morphological and virological features of an HTLV-I-positive case of ATL in a white man from the Caucasus — 621 *V. Gurtsevitch, N. Senjuta, O. Pavlish, J. Shih, A. Pivnik, E. Yakhnina, V. Stepina, A. Kremenetskaya, I. Kaplanskaya, A. Syrtsev, S. Chukanov and H. Lee*

Number 8

Original Articles

A randomized phase II trial of low-dose aclarubicin vs very low-dose cytosine arabinoside for treatment of myelodysplastic syndromes — 629 *M. Harada, T. Shibuya, T. Teshima, M. Murakawa, T. Okamura, Y. Niho, H. Gondo, S. Hayashi, K. Akashi, K. Tamura, S. Makino, H. Natori, K. Egami, S. Hisano, E. Morioka, S. Taniguchi, K. Yamazaki, Y. Yamano and F. Omori*

Human promyelocytic cell line HL60 has the specific binding sites for prolactin and its ornithine decarboxylase, DNA synthesis and cellular proliferation are induced by prolactin — 633 *Y. Nishiguchi, H. Hibasami, Y. Komada, M. Sakurai and K. Nakashima*

Expression of differentially phosphorylated Rb and mutant p53 proteins in myeloid leukemia cell lines — 639 *S. Sen, R. Takahashi, S. Rani, E. J. Freireich and S. A. Stass*

Thermal stress as an inducer of differentiation of U937 cells — 649 *M. F. M. Cellier, M. Taimi, M.-T. Chateau, A. Cannat and J. Marti*

Phorbol ester induction of early response gene expression in lymphocytic leukemia and normal human B-cells — 657 *J. J. Murphy and J. D. Norton*

Decreased blood flow to rat bone marrow, bone, spleen, and liver in acute leukemia — 663 *P. O. Iversen, B. Thing-Mortensen, G. Nicolaysen and H. B. Benestad*

Immunophenotypic and idiotypic characterisation of the leukaemic B-cells from patients with prolymphocytic leukaemia: evidence for a selective expression of immunoglobulin variable region (IGV) gene products — 669 *F. Shokri, R. A. Mageed, P. Richardson and R. Jefferis*

Minimal residual disease status in pre-B acute lymphoblastic leukemia patients after chemotherapy and bone marrow transplantation: assessment of the anti-leukemic effects of chemotherapy and BMT — 677 *H. Kiyoi, T. Naoe, T. Yamauchi, H. Fukatani, K. Kubo, S. Kojima and R. Ohno*

Prediction of chemotherapy response in human leukemia using *in vitro* chemosensitivity test — 685 *Wei-Shou Hwang, Li-Mien Chen, Shyuh-Huei Huang, Chang-Chung Wang and M. T. Tseng*

Synergistic and antagonistic effects of myeloid growth factors on *in vitro* cellular killing by cytotoxic drugs — 689 *J. M. Nørgaard, S. T. Langkjer, J. Ellegaard, T. Palshof, N. Clausen and P. Hokland*

Alkaline phosphatase activity in the human promyelocytic leukemia cell line, HL-60, induced by retinoic acid and recombinant human granulocyte colony-stimulating factor — 695 *T. Taoka, G. Yamaoka, T. Arai, H. Kiuchi, T. Tanaka, J. Takahara, K. Kawanishi and S. Irino*

Unbalanced translocation (1;7) and inversion 16 in a patient with acute myelocytic leukemia — 699 *T. Tasaka, M. Nagai, S. Bando, Y. Sayo, M. Murata, K. Sasaki, K. Ikeda and J. Takahara*

Mutant *H-ras* over-expression inhibits a random apoptotic nuclease in myeloid leukemia cells — 703 *J. Moore, S. Boswell, R. Hoffman, G. Burgess and R. Hromas*

Concise Reports

Treatment of 11 patients with chronic myelogenous leukemia with interferon-alpha-2C and low-dose cytosine arabinoside — 711 *J. Thaler, T. Fluckinger, H. Huber, A. Lang, C. Abbrederis, H. Seewann, H. Silly, C. Baldinger, C. Duba, C. Huber and D. Niederwieser*

Isochromosome 17q as a sole anomaly: a distinct myelodysplastic syndrome entity? — 717 *F. Solé, M. Torrabadella, I. Granada, L. Florensa, T. Vallespi, J. M. Ribera, D. Irriguible, F. Milla and S. Woessner*

Rearrangement of the *N-myc* oncogene in acute leukemias: a case report — 721 *S. Casares, J. M. Rodriguez, A. Martin and A. Parrado*

Letter to the Editors

Role of c-kit receptor in the diagnosis of leukemia: a relationship between expression of c-kit receptor and that of CD33 in leukemic blasts — 725 *K. Muroi, Y. Amemiya, Y. Miura, M. Nakamura and T. Suda*

Number 9

Editorial

Quality of life in hematological malignancies with brief reference to bone marrow transplantation — 727 *R. Zittoun*

Original Articles

Long term survivors in myelodysplastic syndromes: a report on 63 cases and comparison with short and intermediate survivors — 733 *E. Wattel, B. Hecquet, D. Grahek, M. Hebbar, P. Morel, J. L. Lai, F. Bauters and P. Fenaux*

Modulation of the intestinal microflora by the non-absorbable antibiotic vancomycin leads to a reduction of the tumor load in liver and spleen in a leukemic rat model — 741 *S. Daenen, W. Huiges, B. Veenema, D. van der Waaij and R. M. Halie*

Interaction of retinoic acid and vitamin D_3 analogs on HL-60 myeloid leukemic cells — 749 *B. T. Doré, M. R. Uskokovic and R. L. Momparler*

MK 886, an antagonist of leukotriene generation, inhibits DNA synthesis in a subset of acute myeloid leukaemia cells — 759 *M. A. Khan, A. V. Hoffbrand, A. Mehta, F. Wright, F. Tahami and R. G. Wickremasinghe*

Evidence that inositol phospholipids, but not choline phospholipids, are a potential source of growth-regulating second messenger molecules in HL60 leukaemia cells — 763 *R. G. Wickremasinghe, E. Porfiri and A. V. Hoffbrand*

Induction of apolipoprotein E expression during erythroid differentiation of human K562 leukemia cells — 771 *P. Crespo, M. D. Delgado, M. T. Gómez-Casares, M. A. Cuadrado, C. Richard and J. León*

Abnormal response to IL-5 in B-cell chronic lymphocytic leukemia — 777 *T. G. Hayes, Xiao-Lin Tan, A. B. Moseley, M. M. Huston and D. P. Huston*

Expression of the DCC gene in myelodysplastic syndromes and overt leukemia — 785 *K. Miyake, K. Inokuchi, K. Dan and T. Nomura*

Effects of chondroitin sulfates with different structures on leukemia cells: U-937 cell proliferation and differentiation — 789 *N. Volpi, L. Bolognani, A. Conte and M. Petrini*

Differences in the composition and in the efficiency of red cell production of normal and CML erythroid progenitor populations are highlighted by response to human c-*kit* ligand — 799 *A. Strife, A. Perez, C. Lambek, D. Wisniewski, S. Bruno, Z. Darzynkiewicz and B. Clarkson*

Analysis of myeloid characteristics in acute lymphoblastic leukemia — 809 *H. Tsuchiya, S. S. El-Sonbaty, M. Watanabe, H. Suzushima, N. Asou, T. Murakami, T. Takeda, A. Shimosaka, K. Takatsuki and I. Matsuda*

Intracellular accumulation of cytosine arabinoside in murine normal and neoplastic lymphocytes following their exposure to sodium 2-mercaptoethanesulphonate — 815 *Z. Jastrzębski, H. Czyżewska-Szafran, M. Remiszewska and C. Côte-Rozanes*

Book Review

Leukemia — 821 *P. Reizenstein*

823 Announcements

Number 10

Age and Hodgkin's disease: the impact of competing risks and possibly salvage therapy on long term survival: an E.C.O.G. study — 825 *J. M. Bennett, J. W. Andersen, C. B. Begg and J. H. Glick*

Chronic myeloid leukemia granulocytes have lower amounts of cytoplasmic actin — 833 *A. Tarachandani, S. H. Advani and A. N. Bhisey*

A quantitative evaluation of erythropoiesis in myelodysplastic syndromes using multiparameter flow cytometry — 839 *I. M. Jensen, M. Hokland and P. Hokland*

Genistein exhibits preferential cytotoxicity to a leukemogenic variant but induces differentiation of a non-leukemogenic variant of the mouse monocytic leukemia Mm cell line — 847 *Y. Kanatani, T. Kasukabe, M. Hozumi, K. Motoyoshi, N. Nagata and Y. Honma*

Iron responsive element-binding protein (IRE-BP) in leukemic cells: analysis using enzyme-linked immunosorbent assay and semiquantitative polymerase chain reaction — 855 *J. Tanaka, T. Ogawa, K. Kamiya, T. Kobayashi, Y. Uehara, K. Honke, S. Gasa, M. Kasai, K. Sakurada and T. Miyazaki*

A quantitative ultrastructural and cytochemical study of TPA-induced differentiation in HL-60 cells — 863 *M. I. Burón, J. C. Rodríguez-Aguilera, J. A. González-Reyes, J. M. Villalba, F. J. Alcaín, F. Navarro and P. Navas*

A novel approach to the measurement of different *in vitro* leukaemic cell growth parameters: the use of PKH GL fluorescent probes — 873 *D. M. Ashley, S. J. Bol, C. Waugh and G. Kannourakis*

Establishment and characterization of the tumors of chronic lymphocytic leukemia cell line in nude and SCID mice — 883 *A. Kawata, Tin Han, B. Dadey, H.-U. G. Weier, M. Okazaki, S. Yokota, T. Fukiage, Han Xiao, AM. W. Block, M. Barcos, E. Henderson, M. Yoshida and B. K. Seon*

Case Report

Acute promyelocytic leukemia with CD59 deficiency — 895 *T. Seya, H. Tejima, H. Fukuda, T. Hara, M. Matsumoto, M. Hatanaka, Y. Sugita and T. Masaoka*

Brief Communication

Different effects of the two protein kinase C activators bryostatin-1 and TPA on growth and differentiation of humar monocytic leukemia cell lines — 897 *K. G. Steube, D. Grunicke, H. Quentmeier and H. G. Drexler*

903 Forthcoming events

Number 11

Obituary

Professor Peter Reizenstein — 905 *J. M. Bennett and T. J. Hamblin*

Open Forum

A role for mitochondrial DNA in the pathogenesis of radiation-induced myelodysplasia and secondary leukemia — 907 *S. J. Hatfill, C. J. R. La Cock, R. Laubscher, T. G. Downing and R. Kirby*

Original Articles

Hypoxaemia in patients with hyperleukocytosis: true or spurious, and clinical implications — 915 *K. Gartrell and W. Rosenstrauch*

De novo myelodysplastic syndrome (MDS) with deletion of the long arm of chromosome 20: a subtype of MDS with distinct hematological and prognostic features? — 921 *E. Wattel, J. L. Laï, M. Hebbar, C. Preudhomme, D. Grahek, P. Morel, F. Bauters and P. Fenaux*

Variable growth *in vitro* of chromosomally different stem cells in myelodysplastic syndromes — 927 *B. Swolin, I. H. Kristiansen, S. Rödjer and E. Hellström-Lindberg*

Higher proliferative response in B-chronic lymphocytic leukemia (B-CLL) as compared to B-monoclonal lymphocytosis of undetermined significance (B-MLUS) after stimulation with *Staphylococcus aureus* and anti-CD40 monoclonal antibodies — 933 *C. A. Garcia, A. Rosén, M. Aguilar-Santelises, M. Jondal and H. Mellstedt*

Common expression of the multidrug resistance marker P-glycoprotein in B-cell chronic lymphocytic leukaemia and correlation with *in vitro* drug resistance — 941 *R. L. Sparrow, F. J. Hall, H. Siregar and M. B. Van Der Weyden*

Expression and modulation of annexin VIII in human leukemia–lymphoma cell lines — 949 *Zhen–Bo Hu, Weili Ma, C. C. Uphoff and H. G. Drexler*

Multiple pre-neoplastic events and clonal selection of radiation induced mouse thymic lymphomas shown by TCR gene rearrangements — 959 *T. Shimizu, M. Muto, E. Kubo, T. Sado and H. Yamagishi*

Cyclophosphamide treatment of an SJL murine B-cell lymphoma increases the proportion of suppressive $CD8^+$ over tumor-stimulatory $CD4^+$ T-lymphocytes — 967 *T. Wrone-Smith, M. Cankovic, E. VanBuren and S. Lerman*

Cytotoxic activity and mechanism of action of 5-aza-2′-deoxycytidine in human CML cells — 977 *M. Limonta, T. Colombo, G. Damia, C. V. Catapano, V. Conter, M. Gervasoni, G. Masera, V. Liso, G. Specchia, G. Giudici and M. D'Incalci*

An interferon resistant variant of the hairy-cell leukemic cell line, Eskol: biochemical and immunological characterization — 983 *O. N. Ozes, S. B. Klein, Z. Reiter and M. W. Taylor*

p145 expression during the cell cycle in HL-60 cell line and normal human lymphocytes: effects of camptothecin, vinblastine, cycloheximide, actinomycin D, retinoic acid and DMSO — 991 *Liang Qiao, J. G. Pizzolo, W. Gorczyca and M. R. Melamed*

Minimal residual disease in murine B-cell leukemia (BCL1) detected by PCR — 999 *T. Pugatsch, L. Weiss and S. Slavin*

Frequent detection of human herpesvirus-6 sequences by polymerase chain reaction in paraffin-embedded lymph nodes from patients with angioimmunoblastic lymphadenopathy and angioimmunoblastic lymphadenopathy-like lymphoma — 1003 *M. Luppi, R. Marasca, P. Barozzi, T. Artusi and G. Torelli*

Short Communication

A new pharmacological function of phthalate ester plasticizer — 1013 *Chu-tse Wu, You-ming Jiang, Jun-rong Cao and Hui-hua Xue*

Letters to the Editors

Induction of differentiation of HL-60 and WEHI-3B D^+ leukemia cells by lithium chloride — 1017 *R. D. Barr and D. Harnish*

Reply to the Comments — 1017 *J. A. Sokoloski and A. C. Sartorelli*

1019 Forthcoming Meetings

Number 12

Original Articles

Staining with Hoechst 33342 and rhodamine 123: an attempt to detect multidrug resistant phenotype cells in leukemia — 1021 *S. Lahmy, D. Lautier, Y. Canitrot, G. Laurent and J.-M. Salmon*

Detection of P glycoprotein activity on normal and leukemic $CD34^+$ cells — 1031 *B. Drenou, O. Fardel, L. Amiot and R. Fauchet*

The effects of GM-CSF on myeloperoxidase release in normal and myelodysplastic neutrophils — 1037 *Y. Dang, G. M. Lowe, S. W. Edwards and D. W. Galvani*

Mutational inactivation of the p53 gene in the human erythroid leukemic K562 cell line — 1045 *J. C. Law, M. K. Ritke, J. C. Yalowich, G. H. Leder and R. E. Ferrell*

Inhibition of granulocytic differentiation of acute promyelocytic leukemia cells in primary culture by transforming growth factor-β — 1051 *T. Nakamaki, K-i. Hino, S. Tomoyasu, Y. Honma, M. Hozumi and N. Tsuruoka*

Membrane-associated procollagenase of leukemic cells is activated by urokinase-type plasminogen activator — 1057 *J. F. Santibañez and J. Martínez*

Constitutive production of interleukin-8 (IL-8) by normal and malignant human B-cells and other cell types — 1063 *M. D. Srivastava, R. Srivastava and B. I. S. Srivastava*

Concise Report

Are we curing acute myelogenous leukemia? 1071 *I. Ben-Bassat, G. Bandini, G. Rosti and R. P. Gale*

Meeting Report

Molecular diagnosis and monitoring of leukemia and lymphoma 1073 *E. C. Borden, J. Waalen, A. M. Liberati and F. Grignani*

Short Communication

Sustained c-*kit* expression in a human erythroleukemia cell line (HEL) after megakaryocytic differentiation induced by 12-*O*-tetradecanoylphorbol-13-acetate (TPA) 1079 *M. Bakić, K. Ozawa, N. Uemura, M. Nishikawa, A. Tojo, K. Takahashi, K. Tani, Y. Zaike, K. Ikebuchi and S. Asano*

i Volume 17 Title Section, Contents and Author Index